

No. P08209353/A1

Accredited Certificate (ref. NA-PROD 001)

Order No.

107466

Applicant	P.M. S.R.L Plastic Materials Via Garibaldi 44 IT-24031 Almenno S. Salvatore (BG) ITALY
Manufacturer	P.M. S.R.L. Plastic Materials Via Garibaldi 44 IT-24031 Almenno S. Salvatore (BG) ITALY
Factory	P.M. Plastic Materials SRL IT-24030 Almenno S. Bartolomeo (BG) ITALY
Product	Conduit for electrical installations
Model/type	ICTA 16
Rating	16mm
Principal characteristics	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range $-5/+90^{\circ}\text{C}$ . Non-flame propagating. Classification 3422
Standard(s)	Safety std.: EN 61386-1:2004 EN 61386-22:2004
Replacement	This certificate replaces previous certificate No P08209353, due to correction of factory adress and additional information.
Validity	This certificate documents conformity with the standards shown, and also applies as license for use of Nemko's name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.
Additional information	No halogen according to EN 50267-2-1:1999 and EN 50267-2-2:1999. The conduits comply with requirement according Low Smoke "LSZH" test to IEC 61034-2:1997
Variants	This Certificate also covers variants with Position No. from 001 to 011 See next page(s)

Date of issue 23 May 2008



signature

Hanne Yndestad  
Certification Department

No. P08209353/A1

Accredited Certificate (ref. NA-PROD 001)

Order No.

107466

Product	Conduit for electrical installations
Position No	001
Model/type	ICTA 20
Rating and principal characteristics	20mm
Additional information	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range $-5/+90^{\circ}\text{C}$ . Non-flame propagating. Classification 3422
Product	Conduit for electrical installations
Position No	002
Model/type	ICTA 25
Rating and principal characteristics	25mm
Additional information	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range $-5/+90^{\circ}\text{C}$ . Non-flame propagating. Classification 3422
Product	Conduit for electrical installations
Position No	003
Model/type	ICTA 32
Rating and principal characteristics	32mm
Additional information	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range $-5/+90^{\circ}\text{C}$ . Non-flame propagating. Classification 3422
Product	Conduit for electrical installations
Position No	004
Model/type	ICTA 40
Rating and principal characteristics	40mm
Additional information	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range $-5/+90^{\circ}\text{C}$ . Non-flame propagating. Classification 3422

Date of issue 23 May 2008



signature

Hanne Yndestad  
Certification Department

No. P08209353/A1

Accredited Certificate (ref. NA-PROD 001)

Order No.

107466

Product	Conduit for electrical installations
Position No	005
Model/type	ICTA 50
Rating and principal characteristics	50mm
Additional information	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range $-5/+90^{\circ}\text{C}$ . Non-flame propagating. Classification 3422
Product	Conduit for electrical installations
Position No	006
Model/type	ICTA 16
Rating and principal characteristics	16mm
Additional information	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range $-25/+90^{\circ}\text{C}$ . Non-flame propagating. Classification 3342
Product	Conduit for electrical installations
Position No	007
Model/type	ICTA 20
Rating and principal characteristics	20mm
Additional information	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range $-25/+90^{\circ}\text{C}$ . Non-flame propagating. Classification 3342
Product	Conduit for electrical installations
Position No	008
Model/type	ICTA 25
Rating and principal characteristics	25mm
Additional information	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range $-25/+90^{\circ}\text{C}$ . Non-flame propagating. Classification 3342

Date of issue 23 May 2008



signature

Hanne Yndestad  
Certification Department

No. P08209353/A1

Accredited Certificate (ref. NA-PROD 001)

Order No.

107466

Product	Conduit for electrical installations
Position No	009
Model/type	ICTA 32
Rating and principal characteristics	32mm
Additional information	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range $-25/+90^{\circ}\text{C}$ . Non-flame propagating. Classification 3342
Product	Conduit for electrical installations
Position No	010
Model/type	ICTA 40
Rating and principal characteristics	40mm
Additional information	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range $-25/+90^{\circ}\text{C}$ . Non-flame propagating. Classification 3342
Product	Conduit for electrical installations
Position No	011
Model/type	ICTA 50
Rating and principal characteristics	50mm
Additional information	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range $-25/+90^{\circ}\text{C}$ . Non-flame propagating. Classification 3342

Date of issue 23 May 2008



signature

Hanne Yndestad  
Certification Department